

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6393	object\$1 near5 (password\$1 passphrase\$1 PIN)	USPAT; IBM_TDB	OR	OFF	2008/08/11 13:15
L2	26102	(shar\$3 predetermin\$6 prestor\$3 pre-determin\$6 prestor\$4 known pre-known preknown) near5 (password \$1 passphrase\$1 PIN)	USPAT; IBM_TDB	OR	OFF	2008/08/11 13:15
L3	21413	object\$1 near5 (interfac\$4)	USPAT; IBM_TDB	OR	OFF	2008/08/11 13:15
L4	42	L1 and L2 and L3	USPAT; IBM_TDB	OR	OFF	2008/08/11 13:15
L5	30	L4 and (query\$8 search\$4 extract \$4 database\$1)	USPAT; IBM_TDB	OR	OFF	2008/08/11 13:15
L6	311	(object\$1) near9 (shar\$3 predetermin\$6 prestor\$3 pre-determin\$6 prestor\$4 known pre-known preknown) near9 (password \$1 passphrase\$1 PIN)	USPAT; IBM_TDB	OR	OFF	2008/08/11 13:15
L7	63	L6 and (query\$8 search\$4 extract \$4 database\$1)	USPAT; IBM_TDB	OR	OFF	2008/08/11 13:15
L8	35	L7 and (interfac \$4)	USPAT; IBM_TDB	OR	OFF	2008/08/11 13:15
L9	8	(object\$1) near9 (shar\$3) near8 (password\$1 passphrase\$1)	USPAT; IBM_TDB	OR	OFF	2008/08/11 13:15
L10	5	L9 and (interfac \$4)	USPAT; IBM_TDB	OR	OFF	2008/08/11 13:15

L11	4	L10 and (query\$8 search\$4 extract \$4 database\$1)	USPAT; IBM_TDB	OR	OFF	2008/08/11 13:15
L12	40	(multipl\$8 many another\$1 second \$4 other inter-relat \$4 interrelat\$4) near8 (object\$1) near8 (password \$1 passphrase\$1)	USPAT; IBM_TDB	OR	OFF	2008/08/11 13:15
L13	30	L12 and (interfac \$4)	USPAT; IBM_TDB	OR	OFF	2008/08/11 13:15
L14	22	L13 and (query\$8 search\$4 extract \$4 database\$1)	USPAT; IBM_TDB	OR	OFF	2008/08/11 13:15
L15	18795	((726/1-2) or (726/4-6) or (726/18) or (726/26-27) or (726/30) or (713/167) or (713/183-184) or (707/1-7) or (707/9) or (707/100) or (707/1102) or (707/103R) or (707/103Y) or (707/103Y) or (707/103X) or (707/103Y) or (707/202)).CCLS.	USPAT; IBM_TDB	OR	OFF	2008/08/11 13:15
L16	4048	L15 and ((multipl \$8 many another \$1 second\$4 other inter-relat\$4 interrelat\$4) near8 object\$1)	USPAT; IBM_TDB	OR	OFF	2008/08/11 13:15
L17	64	L16 and ((shar\$3 predetermin\$6 prestor\$3 pre-determin\$6 pre-stor\$4 known pre-known preknown) near5 (password \$1 passphrase\$1))	USPAT; IBM_TDB	OR	OFF	2008/08/11 13:15
L18	23	L17 and (query\$9)	USPAT; IBM_TDB	OR	OFF	2008/08/11 13:15

L19	18	L17 and L3	USPAT; IBM_TDB	OR	OFF	2008/08/11 13:15
L20	16	L19 and (query\$8 search\$4 extract \$4 database\$1)	USPAT; IBM_TDB	OR	OFF	2008/08/11 13:15
L21	22	L16 and (shar\$3 near5 (password \$1 passphrase\$1))	USPAT; IBM_TDB	OR	OFF	2008/08/11 13:15
L22	22	L21 and object\$1	USPAT; IBM_TDB	OR	OFF	2008/08/11 13:15
L23	18795	((726/1-2) or (726/4-6) or (726/18) or (726/26-27) or (726/30) or (713/167) or (713/183-184) or (707/1-7) or (707/9) or (707/100) or (707/1102) or (707/103R) or (707/103Y) or (707/103Y) or (707/103X) or (707/103Y) or (707/202)).CCLS.	USPAT; IBM_TDB	OR	OFF	2008/08/11 13:15
L24	4048	L23 and ((multipl \$8 many another \$1 second\$4 other inter-relat\$4 interrelat\$4) near8 object\$1)	USPAT; IBM_TDB	OR	OFF	2008/08/11 13:15
L25	22	L24 and (shar\$3 near5 (password \$1 passphrase\$1))	USPAT; IBM_TDB	OR	OFF	2008/08/11 13:15
L26	22	L25 and object\$1	USPAT; IBM_TDB	OR	OFF	2008/08/11 13:15
L27	21413	object\$1 near5 (interfac\$4)	USPAT; IBM_TDB	OR	OFF	2008/08/11 13:15
L28	64	L24 and ((shar\$3 predetermin\$6 prestor\$3 pre- determin\$6 pre- stors\$4 known pre- known preknown) near5 (password \$1 passphrase\$1))	USPAT; IBM_TDB	OR	OFF	2008/08/11 13:15

L29	18	L28 and L27	USPAT; IBM_TDB	OR	OFF	2008/08/11 13:15
L30	16	L29 and (query\$8 search\$4 extract \$4 database\$1)	USPAT; IBM_TDB	OR	OFF	2008/08/11 13:15
L31	23	L28 and (query\$9)	USPAT; IBM_TDB	OR	OFF	2008/08/11 13:15
L32	6393	object\$1 near5 (password\$1 passphrase\$1 PIN)	USPAT; IBM_TDB	OR	OFF	2008/08/11 13:15
L33	26102	(shar\$3 predetermin\$6 prestor\$3 pre- determin\$6 pre- stors\$4 known pre- known preknown) near5 (password \$1 passphrase\$1 PIN)	USPAT; IBM_TDB	OR	OFF	2008/08/11 13:15
L34	42	L32 and L33 and L27	USPAT; IBM_TDB	OR	OFF	2008/08/11 13:15
L35	30	L34 and (query\$8 search\$4 extract \$4 database\$1)	USPAT; IBM_TDB	OR	OFF	2008/08/11 13:15
L36	311	(object\$1) near9 (shar\$3 predetermin\$6 prestor\$3 pre- determin\$6 pre- stors\$4 known pre- known preknown) near9 (password \$1 passphrase\$1 PIN)	USPAT; IBM_TDB	OR	OFF	2008/08/11 13:15
L37	63	L36 and (query\$8 search\$4 extract \$4 database\$1)	USPAT; IBM_TDB	OR	OFF	2008/08/11 13:15
L38	35	L37 and (interfac \$4)	USPAT; IBM_TDB	OR	OFF	2008/08/11 13:15

L39	0	(object\$1) near9 (shar\$3) near8 (predetermin\$6 prestor\$3 pre- determin\$6 pre- stor\$4 known pre- known preknown) near9 (password \$1 passphrase\$1)	USPAT; IBM_TDB	OR	OFF	2008/08/11 13:15
L40	0	(multipl\$8 many another\$1 second \$4 other inter-relat \$4 interrelat\$4) near8 (object\$1) near9 (shar\$3) near8 (password \$1 passphrase\$1)	USPAT; IBM_TDB	OR	OFF	2008/08/11 13:15
L41	40	(multipl\$8 many another\$1 second \$4 other inter-relat \$4 interrelat\$4) near8 (object\$1) near8 (password \$1 passphrase\$1)	USPAT; IBM_TDB	OR	OFF	2008/08/11 13:15
L42	30	L41 and (interfac \$4)	USPAT; IBM_TDB	OR	OFF	2008/08/11 13:15
L43	22	L42 and (query\$8 search\$4 extract \$4 database\$1)	USPAT; IBM_TDB	OR	OFF	2008/08/11 13:15
L44	8	(object\$1) near9 (shar\$3) near8 (password\$1 passphrase\$1)	USPAT; IBM_TDB	OR	OFF	2008/08/11 13:15
L45	5	L44 and (interfac \$4)	USPAT; IBM_TDB	OR	OFF	2008/08/11 13:15
L46	4	L45 and (query\$8 search\$4 extract \$4 database\$1)	USPAT; IBM_TDB	OR	OFF	2008/08/11 13:15
L47	0	Lwo near4 Fuhwei	USPAT; IBM_TDB	OR	ON	2008/08/11 13:15
L48	1	(invok\$5 and object\$1 and inter- relat\$4 and password\$1 and interfac\$4).clm.	US-PGPUB	OR	OFF	2008/08/11 13:51

8/ 11/ 08 1:52:54 PM

C:\Documents and Settings\LHa\My Documents\EAST\Workspaces\10825880.wsp